

Please type a plus sign (+) inside this box → ☐

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Docket No US-1483
First Inventor Thomas R. Justen, Edward K Lam, Peter W Meier and Donald Moore
Title AIR INTAKE SILENCER
Express Mail Label No EL319732717US

APPLICATION ELEMENTS
See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO:
Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

1. ☒ Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original, and a duplicate for fee processing)
2. ☐ Applicant claims small entity status
See 37 CFR 1.27.
3. ☒ Specification [Total Pages 13]
(Preferred arrangement set forth below)
- Descriptive title of the Invention
- Cross References to Related Applications
- Statement Regarding Fed sponsored R & D
- Reference to Microfiche Appendix
or a computer program listing appendix
- Background of the Invention
- Brief Summary of the Invention
- Brief Description of the Drawings (if filed)
- Detailed Description
- Claim(s)
- Abstract of the Disclosure
4. ☒ Drawing(s) (35 USC 113) [Total Sheets 5]
5. ☐ Oath or Declaration [Total Pages 8]
a. ☒ Newly executed (original or copy)
b. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]
i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named
in the prior application, see 37 CFR 1.63(d)(2) and
1.33(b).
6. ☐ Application Data Sheet. See 37 CFR 1.76

7. ☐ CD-ROM or CD-R in duplicate, large table or
Computer Program(Appendix)
8. ☐ Nucleotide and/or Amino Acid Sequence Submission
(If applicable, all necessary)
a. ☐ Computer Readable Form
b. ☐ Specification Sequence Listing on.
i. ☐ CD-ROM or CD-R (2 copies), or
ii. ☐ Paper
c. ☐ Statements verifying identity of above copies

ACCOMPANYING APPLICATION PARTS


9. ☐ Assignment Papers (cover sheet & document(s))
10. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)
11. ☐ English Translation Document (if applicable)
12. ☐ Information Disclosure ☐ Copies of IDS
Statement (IDS)/PTO-1449 Citations
13. ☐ Preliminary Amendment
14. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
15. ☐ Certified Copy of Priority Document(s)
(If foreign priority is claimed)
16. ☒ Other: Certificate of Express Mail

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information below and in a preliminary amendment, or in an Application Data Sheet under 37 CFR 1.76:


☒ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No _____
Prior application information Examiner _____ Group/Art Unit _____

For CONTINUATION OR DIVISIONAL APPS only. The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts

18. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label  or ☒ Correspondence address below
(Insert Customer No. or Attach bar code label
(Insert Customer No. or Attach bar code label here))

ATTORNEY NAME	John S. Beulick, Esq.				
ADDRESS	Armstrong Teasdale, LLP One Metropolitan Sq., Suite 2600				
CITY	St. Louis	STATE	MO	ZIP CODE	63102
COUNTRY	US	TELEPHONE	314-621-5070	FAX	314-621-5065

Name (Print/type)	Bruce T. Atkins	Registration No (Attorney/Agent)	43,476
Signature		Date	November 16, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Office, Patent and trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Under the paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**FEE TRANSMITTAL
for FY 2001**

Patent fees are subject to annual revision.

Complete If Known

Application Number	
Filing Date	
First Named Inventor	Thomas R. Justen, Edward K. Lam, Peter W Meier and Donald Moore
Group Art Unit	
Examiner Name	
Attorney Docket Number	US-1483

TOTAL AMOUNT OF PAYMENT \$890.00

METHOD OF PAYMENT (check one)

1. ☒ The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

Deposit Account Number 01-2384

Deposit Account Name

- ☒ Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17
☐ Applicant claims small entity status. See 37 CFR 1.16 and 1.17

2. ☐ Payment Enclosed.

☐ Check ☐ Credit Card ☐ Money Order ☐ Other

FEE CALCULATION**1. BASIC FILING FEE**

Large Fee Code	Entity Fee (\$)	Small Fee Code	Entity Fee (\$)	Fee Description	Fee Paid
101	710	201	355	Utility Filing Fee	710.00
106	320	206	160	Design Filing Fee	
107	480	207	245	Plant Filing Fee	
108	710	208	355	Reissue filing Fee	
114	150	214	75	Provisional Filing Fee	
SUBTOTAL (1)					710.00

2. EXTRA CLAIM FEES

		Extra Claims	Fee From Below		Fee Paid
Total Claims	30	-20**	10	18.00	180.00
Independent Claims	3	-3*	0	80.00	000.00
Multiple Dependant					


Large Fee Code	Entity Fee (\$)	Small Fee Code	Entity Fee (\$)	Fee Description
103	18	203	9	Claims in excess of 20
102	80	202	40	Independent claims in excess of 3
104	270	204	135	Multiple dependent claim, if not paid
109	80	209	40	**Reissue independent claims over original patent
110	18	210	9	**Reissue claims in excess of 20 and over original patent

**or number previously paid, if greater, For Reissues, see above

FEE CALCULATION (continued)

3	Large Fee Code	Entity Fee (\$)	Small Fee Code	Entity Fee (\$)	Fee Description	Fee Paid
	105	130	205	65	Surcharge - late filing fee or oath	
	127	50	227	25	Surcharge-late provisional filing fee or cover sheet	
	139	130	139	130	Non-English specification	
	147	2520	147	2520	For filing a request for ex parte reexamination	
	112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
	113	1840*	113	1840*	Requesting publication of SIR after Examiner action	
	115	110	215	55	Extension for reply within first month	
	116	390	216	195	Extension for reply within second Month	
	117	890	217	445	Extension for reply within third month	
	118	1390	218	695	Extension for reply within fourth month	
	128	1890	228	945	Extension for reply within fifth month	
	119	310	219	155	Notice of Appeal	
	120	310	220	155	Filing a brief in support of an appeal	
	121	270	221	135	Request for oral hearing	
	138	1510	138	1510	Petition to institute a public use proceeding	
	140	110	240	55	Petition to revive - unavoidable	
	141	1240	241	620	Petition to revive - unintentional	
	142	1240	242	620	Utility issue fee (or reissue)	
	143	440	243	220	Design issue fee	
	144	600	244	300	Plant issue fee	
	122	130	122	130	Petitions to the Commissioner	
	123	50	123	50	Petitions related to provisional applications	
	126	240	126	240	Submission of Information Disclosure Stmt	
	581	40	581	40	Recording each patent assignment per property (times number of properties)	
	146	710	246	355	Filing a submission after a final rejection (37-CFR 1.129(a))	
	149	710	249	355	For each additional invention to be examined (37 CFR 1.129(b))	
	179	710	279	355	Request for Continued Examination (RCE)	
	169	900	169	900	Request for expedited examination of a design application	
Other fee (specify)						
*Reduced by Basic Filing Fee Paid						00.00
SUBTOTAL (3)						00.00

SUBMITTED BY

Name (Print/Type)	Bruce T. Atkins	Registration No. (Attorney/Agent)	43,476	Telephone	314-621-5070
Signature				Date	November 16, 2000

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Office, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

CERTIFICATE OF MAILING BY EXPRESS MAIL TO
THE COMMISSIONER OF PATENTS AND TRADEMARKS


Express Mail mailing label number: **EL319732717US**

Date of Mailing: November 16, 2000

I certify that the attached utility patent application of **THOMAS R. JUSTEN, EDWARD K. LAM, PETER W. MEIER and DONALD MOORE** for **AIR INTAKE SILENCER (Attorney Docket No. US-1483)** including:

- Certificate of Mailing Via Express Mail (1 pg.)
- Utility Patent Application Transmittal (1 pg.)
- Fee Transmittal (in duplicate) (1 pg.)
- Declaration and Power of Attorney of Thomas R. Justen (2 pgs.)
- Declaration and Power of Attorney of Edward K. Lam (2 pgs.)
- Declaration and Power of Attorney Peter W. Meier (2 pgs.)
- Declaration and Power of Attorney Donald Moore (2 pgs.)
- Eight (8) pages of specification; four (4) pages of claims; one (1) page of abstract
- Five (5) sheets of drawings
- Return post card

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. §1.10 on the date indicated above in an envelope addressed to the Assistant Commissioner for Patents, Box PATENT APPLICATION, Washington, D.C. 20231.



Bruce T. Atkins
Reg. No. 43,476
Armstrong Teasdale LLP
One Metropolitan Square, Suite 2600
St. Louis, MO 63102
(314) 621-5070

AIR INTAKE SILENCER

BACKGROUND OF THE INVENTION

This invention relates generally to air intake silencers for use with internal combustion engines, and, more particularly, to air intake silencers for use with outboard motors.

Internal combustion engines typically include an air intake system for receiving combustion air that is mixed with fuel and combusted in the engine cylinders. Noise from the engine, however, also typically travels through the air intake system to the atmosphere. In certain engines, such as, for example, a two-stroke outboard motor, noise travelling from the engine through the air intake is a significant noise source when the engine is operated at high speeds.

To mitigate engine noise that travels through the air intake, two stroke outboard motors are often equipped with air intake silencers including expansion chambers or resonance chambers to attenuate engine noise traveling through the air intake. Due to size constraints in outboard motor constructions, however, known air intake silencers are of limited effectiveness. Typically, known air intake silencers produce attenuation of less than 4dB, and are generally ineffective at frequencies below 500 Hz.

BRIEF SUMMARY OF THE INVENTION

In an exemplary embodiment of the invention, an air intake silencer includes at least one air inlet pipe comprising a first end, a second end, and a passage therethrough, and at least one tuning tube in fluid communication with the air inlet passage. The tuning tube includes a first end, a second end, and a passage therethrough that extends for a length selected to cancel noise of at least a first selected frequency passing through the air inlet pipe.

More specifically, the tuning tube and the air inlet pipe have passages of substantially equal diameters, but the passages extend for different path lengths through the air inlet pipe and the tuning tube. The path length difference causes half wavelength cancellation of a selected frequency of sound exiting from the air inlet pipe from an engine through the air intake silencer. In a further embodiment, the air intake silencer includes a plurality of tuning tubes located in a wrap-around

relationship with one another to tune different frequencies and produce half wavelength cancellation of more than one frequency. The air inlet pipe and tuning tube may be integrally formed, and in different embodiments may be formed into an air intake manifold that silences more than engine air inlet. In one embodiment the air intake silencer is integral to a motor cover.

The above-described air intake silencer achieves broad band noise reduction of about 10dB to about 20dB in a frequency range of about 300 Hz to about 800 Hz.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a perspective view of an exemplary outboard engine;

Figure 2 is a schematic illustration of a first embodiment of an air intake silencer;

Figure 3 is a schematic illustration of a second embodiment of an air intake silencer;

Figure 4 is an elevational view of a third embodiment of an air intake silencer;

Figure 5 is a schematic sectional illustration of the air intake silencer shown in Figure 4;

Figure 6 is a schematic illustration of a first embodiment of an engine cover incorporating an air intake silencer;

Figure 7 is a schematic illustration of a second embodiment of an engine cover incorporating an air intake silencer; and

Figure 8 is a schematic illustration of a third embodiment of an engine cover incorporating an air intake silencer.

DETAILED DESCRIPTION OF THE INVENTION

While the present invention is described in the context of an outboard motor system, and more particularly in the context of a two stroke outboard motor, the embodiments of the invention set forth herein are intended for illustrative purposes

only. It is understood that the present invention is applicable to other types of outboard motors, e.g., a four stroke motor, as well as to other motor applications wherein air intake noise is desirably reduced. Therefore, the invention is not limited to practice with a particular motor or motor application.

Figure 1 is a perspective view of an exemplary outboard motor 10, such as an outboard engine commercially available from Outboard Marine Corporation, Waukegan, Illinois. Motor 10 includes a cover 12 which houses a power head (not shown), an exhaust housing 14, and a lower unit 16. Lower unit 16 includes a gear case 18 which supports a propeller shaft 20. A propeller 22 is engaged to shaft 20. Propeller 22 includes an outer hub 24 through which exhaust gas is discharged. Gear case 18 includes a bullet, or torpedo, 26 and a skeg 28 which depends vertically downwardly from torpedo 26.

The power head includes an internal combustion engine (not shown in Figure 1) having a drive shaft (not shown) which engages a gear set in gear case 18 and causes propeller shaft 20 to rotate. As propeller shaft 20 rotates, a thrust is developed to propel a watercraft (not shown) or vessel to which outboard motor 10 is attached. An air intake system (not shown in Figure 1) includes an air inlet (not shown in Figure 1) in flow communication with the atmosphere for intake combustion air in the cylinders of the engine. In one type of engine, intake air is passed through a carburetor before entering the cylinders. In another type of engine, air is passed into the engine cylinders and fuel is directly injected into the engine cylinders for combustion. In either type of engine, considerable engine noise is transmitted from the engine through the air intake air inlet to the atmosphere.

Figure 2 illustrates one exemplary embodiment of an air intake silencer 30 for reducing transmission of engine noise therethrough. Air intake silencer 30 includes an air inlet pipe 32 in flow communication with the atmosphere at a first end 34, a second end 36 coupled to an engine air intake inlet 38 for passage of combustion air within an engine 40, and a passage 42 between first end 34 and second end 36 to establish fluid communication between first end 34 and second end 36.

In one embodiment, such as, for example, a two stroke outboard motor, such as motor 10 (shown in Figure 1), air intake inlet 38 is an inlet to a carburetor (not shown) wherein atmospheric air traveling through air inlet pipe from first end 34 to second end 36 is mixed with fuel to form a combustible air/fuel mixture for combustion in the cylinders of engine 40. In an alternative embodiment, ambient air

traveling through air inlet pipe 32 from first end 34 to second end 36 is routed to one or more engine cylinders through a valve (not shown), and fuel is injected into the cylinders to form a combustible air/fuel mixture.

A tuning pipe 44 extends from air inlet pipe 30 and also includes a first end 46, a second end 48, and a passage 50 therebetween establishing flow communication between first end 46 and second end 48. Tuning tube first and second ends 46, 48, respectively, are in flow communication with air inlet pipe passage 42 so that air inlet pipe passage 42 and tuning tube passage 50 intersect at a first joint "A" and a second joint "B" along inlet pipe passage 42. Air inlet pipe passage 42 extends a first lineal distance L_1 between joints "A" and "B" while tuning tube passage 50 extends a second lineal distance L_2 between joints "A" and "B." By appropriately selecting lengths L_1 and L_2 , engine noise traveling from air intake inlet 38 and through air intake silencer 30 to the atmosphere may be attenuated.

In one embodiment, L_1 and L_2 are selected to produce one-half wavelength cancellation of noise traveling from engine 40 to the atmosphere through air intake silencer 30. By creating different noise path lengths through air inlet pipe passage 42 and tuning tube passage 50, air intake silencer 30 is tunable to a center frequency having a one-half wavelength equal to the difference of the two path lengths L_1 and L_2 . In an exemplary embodiment of air intake silencer 30, L_1 is 5 inches (0.417 feet) and L_2 is 20 inches (1.67 feet), and considering that the speed of sound at an air temperature of 70°F is 1128 ft/sec, then the center frequency that the air intake silencer is tuned to is

$$F = \frac{1128}{2(L_2 - L_1)} = \frac{1128}{2(1.67 - 0.417)} = 450 \text{ Hz} . \quad (\text{Eq.1})$$

In alternative embodiments, other lengths of L_1 and L_2 are selected to tune air intake silencer 30 to a different center frequency as desired to attenuate engine noise at another frequency. Unlike known air intake silencers, air intake silencer 30 is effective at attenuating noise having a frequency of about 500 Hz or less, which is particularly advantageous for use in a two stroke outboard motor.

In one embodiment, air inlet pipe 32 and air inlet pipe passage 42 are substantially straight and linear, and tuning tube 44 includes first and second segments 54 extending generally perpendicularly from air inlet pipe 32 and a third segment 58 extending between first and second legs 54, 56 substantially parallel to air inlet pipe

32. In one embodiment, tuning tube 44 is substantially U-shaped, with first and second segments 54, 56 forming the legs of the U and separated by the lineal distance L_1 between joints "A" and "B." In alternative embodiments, other shapes of tuning tube 44 and/or air inlet pipe 32 are employed, provided that lineal distances L_1 , L_2 of air inlet passage 42 and tuning tube passage 50 produce a desired level of engine noise cancellation before the sound exits first end 34 of air inlet pipe 32 and disperses in the atmosphere. In further alternative embodiments, greater or fewer than three tuning tube segments 54, 56, 58 are employed, and more than one air intake silencer 30 may be used to silence noise from different engine cylinders.

Also, air inlet pipe 32 and tuning tube 44, in one embodiment are integrally formed and substantially equal in size, and consequently air inlet pipe 32 and tuning tube 44 include substantially similar passages 42, 50, respectively, in cross section. Thus, air intake silencer 30 is relatively compact in comparison to known silencers incorporating expansion chambers or resonance chambers. In alternative embodiments, however, a differently sized air inlet pipe 32 and tuning tubes 44 are used, and in a further alternative embodiment, air inlet pipe and tuning passages 42, 50 are lined with a known sound-attenuating material, such as felt, to further reduce noise transmission through air intake silencer 30. Still further, in yet another embodiment, tuning tube 44 and air inlet pipe 32 are combined with a conventional air intake silencer (not shown) or a conventional expansion chamber (not shown) to aggregate the benefits of the present invention to the advantages of known silencers.

Figure 3 is a schematic illustration of a second embodiment of an air intake silencer 70 similar to air intake silencer 30 (shown in Figure 2) and including a second tuning tube 72 located in a wrap-around relationship to first tuning tube 44 (described above). Second tuning tube 72 is constructed similarly to first tuning tube 44 but includes a third passage 74 that intersects air inlet tube passage at joints "C" and "D." Similar to joints "A" and "B", inlet air pipe passage 42 extends a third lineal length L_3 between joints "C" and "D" and second tuning tube 72 extends a fourth lineal length L_4 that is different from lineal path length L_3 . With strategic selection of L_3 and L_4 , one-half wavelength cancellation of engine noise at a second center frequency is achieved.

Hence, not only will air intake silencer 70 produce engine noise cancellation at a first center frequency determined by the path length difference of L_2 and L_1 , as explained above, but also will attenuate noise at a second center frequency

determined by a path length difference between L_3 and L_4 . Applying equation (1) from above, the second center frequency is determined by the relationship:

$$F = \frac{1128}{2(L_4 - L_3)}.$$

With strategic selection of L_3 and L_4 , noise components of frequencies above and below the first center frequency in respective alternative embodiments are achievable.

While first and second tuning tubes 44, 72 are illustrated in a wrap-around relationship to produce a compact silencer 70, in alternative embodiments, first and second tuning tubes 44, 72 need not be located proximally to one another. Also, in one embodiment, air inlet pipe 32 and first and second tuning tubes are integrally formed, while in alternative embodiments air inlet pipe 32 and tuning tubes 44, 72 are separately constructed. In still further alternative embodiments, more than two tuning tubes are further used to expand an operating range of engine noise frequency attenuation.

Figures 4 and 5 are elevational and schematic sectional illustrations, respectively, of a third embodiment of an air intake silencer 80 in the form of an air intake manifold 82. Manifold 82 includes at least one air intake inlet 84 in communication with the atmosphere or ambient air, and a plurality of manifold outlets 86 in communication with engine air intake inlets 88 (shown in phantom in Figure 4) of an internal combustion engine 90 (shown in phantom in Figure 4). As noted above, engine 90 may or may not include a carburetor (not shown) between manifold outlets 86 and the cylinders of engine 90. Intake air from the atmosphere flows through manifold air intake inlet 84 and into engine air intake inlets 88 for combustion in the cylinders.

To attenuate engine noise from traveling through manifold 80 to the ambient environment, manifold 80 contains an embedded air intake silencer 92 including an air inlet pipe 94, a first tuning tube 96, and a second tuning tube 98. First and second tuning tubes 96, 98 include an air passage or path 100, 102, respectively, having a respective lineal length, and the lineal path lengths are strategically selected to produce engine noise cancellation at a center frequency determined by equation (1) above. In alternative embodiments, greater or fewer than two tuning tubes are used to produce one-half wave length cancellation of noise emanating from the engine and traveling through the manifold to the atmosphere.

More than one air intake silencer manifold 82 may be used to silence engine noise through, for example, an odd cylinder bank (not shown) or an even cylinder bank (not shown), and in a further embodiment, an integrated manifold is constructed with more than one silencer so as to silence engine noise emanating from engine cylinders in different cylinder blocks or cylinder banks. In one embodiment, manifolds 82 are constructed differently so as to silence noise at different frequencies relative to respective cylinder blocks, or to silence noise of particular cylinders at different frequencies. In still a further embodiment, one or more manifolds 82 are structurally integrated into engine 90. In yet another embodiment, manifold 82 is a separate component from engine 90.

Figure 6 is a schematic illustration of a first exemplary embodiment of an engine cover 108 for an outboard motor, such as motor 10 (shown in Figure 1), incorporating an air intake silencer 110 such as one of silencers 30, 70 or 80 (shown and described above). Air intake silencer 110 is integrally formed into a top wall 112 of an upper half 114 of motor cover 12 (shown in Figure 1).

Figure 7 is a schematic illustration of a second exemplary embodiment of an engine cover 120 for an outboard motor, such as motor 10 (shown in Figure 1), incorporating a pair of air intake silencers 122, such as silencers 30, 70 or 80 (shown and described above). Air intake silencers 122 are integrally formed into a side walls 124 of an upper half 126 of motor cover 12 (shown in Figure 1).

Figure 8 is a schematic illustration of a third exemplary embodiment of an engine cover 130 for an outboard motor, such as motor 10 (shown in Figure 1), incorporating an air intake silencer 132, such as one of silencers 30, 70 or 80 (shown and described above). Air intake silencer 132 is integrally formed into a bottom wall 134 of a lower half 136 of motor cover 12 (shown in Figure 1).

In further alternative embodiments, more than one of intake silencer, such as silencers 30, 70 or 80 (shown and described above) or combinations of air intake silencers 30, 70, or 80, are formed integrally into the same or different walls of upper or lower halves, respectively, of an engine cover. In still further embodiments, one or more air intake silencers are separately formed and attached to the upper or lower halves, respectively of engine cover.

Using the above described embodiments, broad band noise reduction of about 10dB to about 20dB in a frequency range of about 300 Hz to about 800 Hz may

be achieved, a notable increase over known air intake silencers. Moreover, broad band noise reduction is provided in a compact air silencer unit especially advantageous for two stroke outboard motors.

5 While the invention has been described in terms of various specific embodiments, those skilled in the art will recognize that the invention can be practiced with modification within the spirit and scope of the claims.

WHAT IS CLAIMED IS:

1. An air intake silencer comprising:

at least one air inlet pipe comprising a first end, a second end, and an inlet passage therethrough;

at least one tuning tube comprising a first end, a second end, and a tuning passage therethrough, said tuning passage in fluid communication with said air inlet passage and extending for a length selected to cancel noise of at least a first selected frequency passing through said inlet pipe.

2. An air intake silencer in accordance with Claim 1 wherein said air intake pipe is straight.

3. An air intake silencer in accordance with Claim 1 wherein said tuning tube comprises a first segment in flow communication with said inlet passage, a second segment in flow communication with said inlet passage, and a third segment extending between said first segment and said second segment and in flow communication with said first segment and said second segment.

4. An air intake silencer in accordance with Claim 3, said first segment and said second segment are separated from one another along an axis of said inlet pipe.

5. An air intake silencer in accordance with Claim 1 wherein said tuning tube and said air inlet pipe have substantially equal diameters.

6. An air intake silencer in accordance with Claim 1 further comprising at least another tuning tube, said at least another tuning tube in a wrap-around relationship with said at least one tuning tube.

7. An air intake silencer in accordance with Claim 1 wherein said at least one air inlet tube and said at least one tuning tube are integrally formed.

8. An air intake silencer in accordance with Claim 7 wherein said air inlet tube and said at least one tuning tube comprise an air intake manifold.

9. A cover for an outboard motor comprising:

a lower cover;

an upper cover configured for attachment to said lower cover; and

at least one air intake silencer attached to one of said upper cover and
5 said lower cover and comprising:

at least one air inlet pipe comprising a first end, a second end,
and an inlet passage therethrough;

at least one tuning tube comprising a first end, a second end,
and a tuning passage therethrough, said tuning passage in fluid communication
10 with said air inlet passage and extending for a length selected to cancel noise
of at least a first selected frequency passing through said inlet pipe.

10. A motor cover in accordance with Claim 9 wherein said upper
cover comprises a top wall, said at least one air intake silencer attached to said top
wall.

11. A motor cover in accordance with Claim 9 wherein each of said
upper cover and said lower cover comprises at least one side wall, said at least one air
intake silencer attached to at least one side wall of said upper cover and said lower
cover.

12. A motor cover in accordance with Claim 11 wherein said lower
cover comprises a bottom wall, said at least one air intake silencer attached to said
bottom wall.

13. A motor cover in accordance with Claim 9 wherein said at least
one air intake silencer is integrally formed with said cover.

14. A motor cover in accordance with Claim 9 wherein said at least
one air inlet pipe and said at least one tuning tube comprise an air intake manifold.

15. An air intake silencer in accordance with Claim 9 wherein said air
intake pipe is straight.

16. An air intake silencer in accordance with Claim 15 wherein said tuning tube comprises a first segment in flow communication with said inlet passage, a second segment in flow communication with said inlet passage, and a third segment extending between said first segment and said second segment and in flow communication with said first segment and said second segment.

17. An air intake silencer in accordance with Claim 16, said first segment and said second segment are separated from one another along an axis of said inlet pipe.

18. An air intake silencer in accordance with Claim 9 wherein said tuning tube and said air inlet pipe have substantially equal diameters.

19. An air intake silencer in accordance with Claim 9 further comprising at least another tuning tube, said at least another tuning tube in a wrap-around relationship with said at least one tuning tube.

20. An air intake silencer in accordance with Claim 9 wherein said at least one air inlet tube and said at least one tuning tube are integrally formed.

21. An outboard motor engine comprising:

at least one air inlet for engine intake air; and

an air intake silencer coupled to said air inlet, said air intake silencer comprising at least one air inlet pipe coupled to said air inlet pipe and at least one tuning tube in flow communication with said air inlet pipe, said air inlet pipe and said tuning tube configured to cancel a portion of sound traveling through said air inlet pipe.

22. An outboard motor engine in accordance with Claim 21 wherein said air intake pipe is straight.

23. An outboard motor engine in accordance with Claim 21 wherein said tuning tube comprises a first segment in flow communication with inlet pipe passage, a second segment in flow communication with said inlet pipe passage, and a third segment extending between said first segment and said second segment and in flow communication with said first segment and with said second segment.

24. An outboard motor engine in accordance with Claim 23 wherein said first segment and said second segment are separated from one another along an axis of said inlet pipe.

25. An outboard motor engine in accordance with Claim 21 wherein said tuning tube and said air inlet pipe have substantially equal diameters.

26. An outboard motor engine in accordance with Claim 21 further comprising at least another tuning tube, said at least another tuning tube in a wrap-around relationship with said at least one tuning tube.

27. An outboard motor engine in accordance with Claim 21 wherein said at least one air inlet tube and said at least one tuning tube are integrally formed.

28. An outboard motor engine in accordance with Claim 27 wherein said air inlet tube and said at least one tuning tube comprise an air intake manifold.

29. An outboard motor engine in accordance with Claim 21 further comprising a motor cover, said air intake silencer attached to said motor cover.

30. An outboard motor engine in accordance with Claim 29 wherein said air intake silencer is integrally formed with said cover.

AIR INTAKE SILENCER

ABSTRACT OF THE DISCLOSURE

An air intake silencer includes an air inlet pipe and at least one tuning tube in fluid communication with the air inlet pipe. A first length and second length of the air inlet pipe and the tuning tube, respectively, are selected to produce one-half wavelength cancellation of a selected frequency of engine noise. A plurality of tuning tubes located in a wrap-around relationship with on another may tune different frequencies of noise in a compact silencing unit. The air inlet pipe and tuning tube may be integrally formed into an air intake manifold that silences one or more engine air intake inlets, and the air intake silencer may be integrated into a motor cover.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

DECLARATION AND POWER OF ATTORNEY	Attorney's Docket No. US-1483
-----------------------------------	--------------------------------------

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **AIR INTAKE SILENCER (Attorney Docket No. US-1483)**, the specification of which:

(check one) ☒ is attached hereto

 ☐ was filed on _____ as Application Serial No. _____,
 and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations §1.56(a).

I hereby claim priority benefits under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial No.	Filing Date	Status (patented, pending, abandoned)
_____	_____	_____
_____	_____	_____

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below:

Application Serial No.	Filing Date	Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.
_____	_____	
_____	_____	

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(list name and registration number)*

John S. Beulick (Reg. No. 33,338), Patrick W. Rasche (Reg. No. 37,916), Michael Tersillo (Reg. No. 42,180), Tara A. Nealey (Reg. No. 42,927), Bruce T. Atkins, (Reg. No. 43,476), Alan L. Cassel (Reg. No. 35,842), Stephen R. Cooper (Reg. No. 42,437), Robert B. Reeser, III (Reg. No. 45,548), Robert E. Slenker (Reg. No. 45,112), and Natu J. Patel (Reg. No. 39,559) of Armstrong Teasdale LLP, One Metropolitan Square, Suite 2600, St. Louis, MO 63102-2740; and John H. Pilarski (Reg. No. 33,038) of Outboard Marine Corporation, 100 Sea Horse Drive, Waukegan, IL 60085.

Send Correspondence to:

John S. Beulick
Armstrong Teasdale LLP
One Metropolitan Square, Suite 2600
St. Louis, MO 63102-2740

Direct Telephone Calls To:

John S. Beulick
314/621-5070

DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No.

US-1483

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application and any patent issued thereon

SOLE OR FIRST INVENTOR:

Full Name: Thomas R. Justen

Signature: _____

Date: _____

Residence: McHenry, Illinois 60050

Citizenship: USA

Post Office Address: 1717 West Oakleaf Drive, McHenry, IL 60050

SECOND JOINT INVENTOR, IF ANY:

Full Name: Edward K. Lam

Signature: *Edward K. Lam*

Date: 9-8-2000

Residence: Wadsworth, Illinois 60083

Citizenship: USA

Post Office Address: 381000 Golf Lane Drive, Wadsworth, IL 60083

THIRD JOINT INVENTOR, IF ANY:

Full Name: Peter W. Meier

Signature: _____

Date: _____

Residence: Stuart, Florida 34994

Citizenship: USA

Post Office Address: 1430 N.W. Fork Road, Stuart, FL 34994

FOURTH JOINT INVENTOR, IF ANY:

Full Name: Donald Moore

Signature: _____

Date: _____

Residence: Palm City, Florida 34990

Citizenship: USA

Post Office Address: 1375 S.W. Ulmus Place, Palm City, FL 34990

DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No.

US-1483

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **AIR INTAKE SILENCER (Attorney Docket No. US-1483)**, the specification of which:

(check one) ☒ is attached hereto
☐ was filed on _____ as Application Serial No. _____,
and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations §1.56(a).

I hereby claim priority benefits under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial No.	Filing Date	Status (patented, pending, abandoned)
_____	_____	_____
_____	_____	_____

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below:

Application Serial No.	Filing Date	Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.
_____	_____	
_____	_____	

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (*list name and registration number*)

John S. Beulick (Reg. No. 33,338), Patrick W. Rasche (Reg. No. 37,916), Michael Tersillo (Reg. No. 42,180), Tara A. Nealey (Reg. No. 42,927), Bruce T. Atkins, (Reg. No. 43,476), Alan L. Cassel (Reg. No. 35,842), Stephen R. Cooper (Reg. No. 42,437), Robert B. Reeser, III (Reg. No. 45,548), Robert E. Slenker (Reg. No. 45,112), and Natu J. Patel (Reg. No. 39,559) of Armstrong Teasdale LLP, One Metropolitan Square, Suite 2600, St. Louis, MO 63102-2740; and John H. Pilarski (Reg. No. 33,038) of Outboard Marine Corporation, 100 Sea Horse Drive, Waukegan, IL 60085.

Send Correspondence to:

John S. Beulick
Armstrong Teasdale LLP
One Metropolitan Square, Suite 2600
St. Louis, MO 63102-2740

Direct Telephone Calls To:

John S. Beulick
314/621-5070

DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No.

US-1483

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application and any patent issued thereon.

SOLE OR FIRST INVENTOR:

Full Name: Thomas R. Justen

Signature: _____

Date: _____

Residence: McHenry, Illinois 60050Citizenship: USAPost Office Address: 1717 West Oakleaf Drive, McHenry, IL 60050

SECOND JOINT INVENTOR, IF ANY:

Full Name: Edward K. Lam

Signature: _____

Date: _____

Residence: Wadsworth, Illinois 60083Citizenship: USAPost Office Address: 381000 Golf Lane Drive, Wadsworth, IL 60083

THIRD JOINT INVENTOR, IF ANY:

Full Name: Peter W. MeierSignature:  _____Date: September 18, 2000Residence: Stuart, Florida 34994Citizenship: USAPost Office Address: 1430 N.W. Fork Road, Stuart, FL 34994

FOURTH JOINT INVENTOR, IF ANY:

Full Name: Donald Moore

Signature: _____

Date: _____

Residence: Palm City, Florida 34990Citizenship: USAPost Office Address: 1375 S.W. Ulmus Place, Palm City, FL 34990

DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No.

US-1483

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **AIR INTAKE SILENCER (Attorney Docket No. US-1483)**, the specification of which:

(check one) ☒ is attached hereto

☐ was filed on _____ as Application Serial No. _____,
and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations §1.56(a).

I hereby claim priority benefits under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial No.	Filing Date	Status (patented, pending, abandoned)
_____	_____	_____
_____	_____	_____

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below:

Application Serial No.	Filing Date	Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.
_____	_____	
_____	_____	

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (*list name and registration number*)

John S. Beulick (Reg. No. 33,338), Patrick W. Rasche (Reg. No. 37,916), Michael Tersillo (Reg. No. 42,180), Tara A. Nealey (Reg. No. 42,927), Bruce T. Atkins, (Reg. No. 43,476), Alan L. Cassel (Reg. No. 35,842), Stephen R. Cooper (Reg. No. 42,437), Robert B. Reeser, III (Reg. No. 45,548), Robert E. Slenker (Reg. No. 45,112), and Natu J. Patel (Reg. No. 39,559) of Armstrong Teasdale LLP, One Metropolitan Square, Suite 2600, St. Louis, MO 63102-2740; and John H. Pilarski (Reg. No. 33,038) of Outboard Marine Corporation, 100 Sea Horse Drive, Waukegan, IL 60085.

Send Correspondence to:

John S. Beulick
Armstrong Teasdale LLP
One Metropolitan Square, Suite 2600
St. Louis, MO 63102-2740

Direct Telephone Calls To:

John S. Beulick
314/621-5070

DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No.

US-1483

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application and any patent issued thereon.

SOLE OR FIRST INVENTOR:

Full Name: Thomas R. Justen

Signature: _____

Date: _____

Residence: McHenry, Illinois 60050Citizenship: USAPost Office Address: 1717 West Oakleaf Drive, McHenry, IL 60050

SECOND JOINT INVENTOR, IF ANY:

Full Name: Edward K. Lam

Signature: _____

Date: _____

Residence: Wadsworth, Illinois 60083Citizenship: USAPost Office Address: 381000 Golf Lane Drive, Wadsworth, IL 60083

THIRD JOINT INVENTOR, IF ANY:

Full Name: Peter W. Meier

Signature: _____

Date: _____

Residence: Stuart, Florida 34994Citizenship: USAPost Office Address: 1430 N.W. Fork Road, Stuart, FL 34994

FOURTH JOINT INVENTOR, IF ANY:

Full Name: Donald MooreSignature: Donald MooreDate: 8-30-2000Residence: Palm City, Florida 34990Citizenship: USAPost Office Address: 1375 S.W. Ulmus Place, Palm City, FL 34990

DECLARATION AND POWER OF ATTORNEY	Attorney's Docket No. US-1483
-----------------------------------	----------------------------------

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **AIR INTAKE SILENCER** (Attorney Docket No. **US-1483**), the specification of which:

(check one) ☒ is attached hereto
☐ was filed on _____ as Application Serial No. _____,
and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations §1.56(a).

I hereby claim priority benefits under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial No.	Filing Date	Status (patented, pending, abandoned)
_____	_____	_____
_____	_____	_____

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below:

Application Serial No.	Filing Date	Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.
_____	_____	
_____	_____	

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (*list name and registration number*)

John S. Beulick (Reg. No. 33,338), Patrick W. Rasche (Reg. No. 37,916), Michael Tersillo (Reg. No. 42,180), Tara A. Nealey (Reg. No. 42,927), Bruce T. Atkins, (Reg. No. 43,476), Alan L. Cassel (Reg. No. 35,842), Stephen R. Cooper (Reg. No. 42,437), Robert B. Reeser, III (Reg. No. 45,548), Robert E. Slenker (Reg. No. 45,112), and Natu J. Patel (Reg. No. 39,559) of Armstrong Teasdale LLP, One Metropolitan Square, Suite 2600, St. Louis, MO 63102-2740; and John H. Pilarski (Reg. No. 33,038) of Outboard Marine Corporation, 100 Sea Horse Drive, Waukegan, IL 60085.

Send Correspondence to:

John S. Beulick
Armstrong Teasdale LLP
One Metropolitan Square, Suite 2600
St. Louis, MO 63102-2740

Direct Telephone Calls To:

John S. Beulick
314/621-5070

DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No.

US-1483

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application and any patent issued thereon.

SOLE OR FIRST INVENTOR:

Full Name: Thomas R. Justen

Signature: Thomas R. Justen Date: AUG 29 2000

Residence: McHenry, Illinois 60050

Citizenship: USA

Post Office Address: 1717 West Oakleaf Drive, McHenry, IL 60050

SECOND JOINT INVENTOR, IF ANY:

Full Name: Edward K. Lam

Signature: _____ Date: _____

Residence: Wadsworth, Illinois 60083

Citizenship: USA

Post Office Address: 381000 Golf Lane Drive, Wadsworth, IL 60083

THIRD JOINT INVENTOR, IF ANY:

Full Name: Peter W. Meier

Signature: _____ Date: _____

Residence: Stuart, Florida 34994

Citizenship: USA

Post Office Address: 1430 N.W. Fork Road, Stuart, FL 34994

FOURTH JOINT INVENTOR, IF ANY:

Full Name: Donald Moore

Signature: _____ Date: _____

Residence: Palm City, Florida 34990

Citizenship: USA

Post Office Address: 1375 S.W. Ulmus Place, Palm City, FL 34990